



EXCLUSION SCREENS

Pest Armor® Exclusion Mesh 2-4
Soffit Vent Screens 4
Foundation Vent Screens 5

EXCLUSION GUARDS

Roof VentGuard™7-10Roof VentGuard Plus™11Bolt-On Exclusion Guards12Slip-In Chimney Guards12Universal VentGuard™13Code Compliant Dryer VentGuard™13-15

CHIMNEY COVERS + CHASE COVERS

Draft King® Single Flue19-21Draft King® Big Top™ Multi-Flue22-25Draft King® Custom Series26-27Draft King® Universal™ Series28-29Draft King® Multi-Pack Single Flue30Draft King® Liner Cap Single Flue30Draft King® Custom Chase Covers31

LOG RACKS

Shelter® Tubular Log Racks 33 Shelter® Extender Log Racks 34

WARRANTY

A HY-C Company™ Warranty 35






WHY HY-GUARD EXCLUSION®

No matter where people live, nuisance wildlife intrusion is a reality. From attic to basement (and everything in between), critter home invasion means damage, and damage means costly repair.

The HY-C Company has been helping homes and families stay one step ahead of nuisance wildlife since 1947, and the HY-GUARD EXCLUSION® brand is our most comprehensive set of wildlife control solutions yet. Whether it's a vent cover, foundation screen, or even a chimney cap, you can keep curious critters and insects out of your home without detracting from its aesthetics. Every product is crafted with over 75 years of manufacturing excellence and 95% of them are made stateside in St. Louis, Missouri! This allows us to better service the North American market with maximum quality and efficiency.

Interested in the HY-GUARD EXCLUSION® product line? Call your distribution partner today! Our customer service and sales teams in St. Louis are here to help, too.

1-800-325-7076



PESTARM R






LOW PROFILE Z-MESH™ RALP1448B, RALP1491B







MESH PROFILE FEATURES




- > 3 Profile Structures for Endless Exclusion Applications: L-Mesh, Low Profile Z-Mesh, High Profile Z-Mesh
- > 3/8" Expanded Mesh is Easy to Tool and Shape
- > ¼" Expanded Tight Mesh Excludes Stinkbugs and Most Stinging
- > Available in 2 Lengths: 48" Easy-to-Handle + Ship // 91" Installs with Fewer Seams
- Clean and Professional Appearance
- › Black Hex Head Screws and Sealing Washers Included
- > Durable Powder Coat Finish: Easily Painted to Match Exterior Color
- 7-Year Limited Warranty* // Made in the USA

MESH PANEL FEATURES



- > 28" x 31-1/4" Flat Tight Mesh Panels Easily Adapt for Endless Exclusion
- > Customize the Size and Shape to Fit Specific Exclusion Needs
- > 1/4" Expanded Tight Mesh Excludes Stinkbugs and Most Stinging Insects
- › Clean and Professional Appearance
- › Available in 2 Finishes: Black, White
- > Durable Powder Coat Finish: Easily Painted to Match Exterior Color
- > Hardware Not Included
- > 7-Year Limited Warranty* // Made in the USA



HIGH PROFILE Z-MESH™







LOW PROFILE Z-MESH™




RALP1448B, RALP1491B






L-MESH™









PEST ARMOR® MESH PROFILES	RAML350 L-Mesh™	RALP1448B Low Profile Z-Mesh™	RALP1491B Low Profile Z-Mesh™	RA1448B High Profile Z-Mesh™	RA1491B High Profile Z-Mesh™	RA3848B High Profile Z-Mesh™
MESH [in]	1/4	1/4	1/4	1/4	1/4	3/8
LENGTH [in]	48	48	91-1/2	48	91	48
CASE PACK	20 PCS / 80 LF	40 PCS / 160 LF	21 PCS / 160 LF	40 PCS / 160 LF	21 PCS / 160 LF	40 PCS / 160 LF
FINISH	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK

PEST ARMOR® MESH PANELS	NEW RATMFLATB5 Tight Mesh Panel™	RATMFLATW5 Tight Mesh Panel™
MESH [in]	1/4	1/4
DIMENSIONS [in]	28 x 31-1/4	28 x 31-1/4
CASE PACK	5 PCS	5 PCS
FINISH	BLACK	WHITE

ANIMAL EXCLUSION // Foundation Vent Screens

PEST ARMOR® | ARCHITECTURAL STEEL MESH APPLICATIONS



FOUNDATION SILL PLATE | BEFORE



FOUNDATION SILL PLATE | AFTER



SOLAR PANEL





AVAILABLE FINISHES:





ANIMAL EXCLUSION # **Soffit Vent Screens**







VG0416G

VG0450G



AVAILABLE FINISHES:





FEATURES

- > Welded 18-Gauge %" Expanded Galvanized Mesh
- > One-Piece Laser Cut Galvanized Steel Frame
- > Pre-Drilled 1" Frame
- > Durable Black, Gray or White Powder Coat Finish
- > Provides a Clean, Professional Exclusion Solution
- Paintable to Match Any Surface
- > Extended Length Available: 4" x 50" (White Only)
- 7-Year Limited Warranty* // Made in the USA



ITEM NUMBER SKU	DIMENSIONS L x W x H [in]	CASE PACK <i>Quantity</i>	WEIGHT lbs / Each
VG0416G-1B // VG0416G-10B	4 x 1/4 x 16	1 // 10	1/2 // 5-1/2
VG0416G-1G // VG0416G-10G	4 x 1/4 x 16	1 // 10	1/2 // 5-1/2
VG0416G-1W // VG0416G-10W	4 x 1/4 x 16	1 // 10	1/2 // 5-1/2
VG0450G-1W // VG0450G-10W	4 x 1/4 x 50	1 // 10	1-½ // 15

B · BLACK // G · GRAY // W · WHITE

FEATURES

- ightarrow Welded 18-Gauge eals" Expanded Galvanized Mesh
- › One-Piece Laser Cut Galvanized Steel Frame
- > Pre-Drilled 1" Frame with Hemmed Edge
- Available in 2 Sizes: 10-½" x 18-½", 12-¼" x 19-½"
- > Durable Black, Gray or White Powder Coat Finish
- > Provides a Clean, Professional Exclusion Solution
- › Paintable to Match Any Surface
- 7-Year Limited Warranty* // Made in the USA





VG1018G

VG1219G





ITEM NUMBER SKU	DIMENSIONS L x W x H [in]	CASE PACK Quantity	WEIGHT lbs / Each
VG1018G-1B	10-½ x ¼ x 18-½	1	1
VG1018G-1G	10-½ × ¼ × 18-½	1	1
VG1018G-1W	10-½ x ¼ x 18-½	1	1
VG1018G-10B	10-½ x ¼ x 18-½	10	10
VG1018G-10G	10-½ x ¼ x 18-½	10	10
VG1018G-10W	10-½ x ¼ x 18-½	10	10
VG1219G-1B	12-¼ x ¼ x 19-½	1	1
VG1219G-1G	12-¼ x ¼ x 19-½	1	1
VG1219G-1W	12-¼ x ¼ x 19-½	1	1
VG1219G-10B	12-¼ x ¼ x 19-½	10	10
VG1219G-10G	12-¼ × ¼ × 19-½	10	10
VG1219G-10W	12-¼ x ¼ x 19-½	10	10

*Excludes installations within 25 miles of a saltwater coast.

MADE IN ST. LOUIS, MISSOURI // USA

B · BLACK // G · GRAY // W · WHITE

AVAILABLE FINISHES:










PIONEERING EXCLUSION SOLUTIONS FOR OVER 75 YEARS

Available in a variety of sizes, **HY-GUARD EXCLUSION®'s Roof VentGuards™** protect your home's roof vent from animal damage and intrusion. Our 18-gauge %" expanded metal mesh provides a clean, professional exclusion solution. Featuring a sturdy, laser cut, pre-drilled mounting frame, our Roof VentGuards™ install in minutes! Roof VentGuards™ are available in durable stainless steel and black powder coated galvanized steel in multiple packaging options. Made in the

In addition, HY-GUARD EXCLUSION®'s NEW Tight Mesh Roof VentGuard™ is a powerful and effective barrier against animals, birds, stinkbugs, and most stinging insects. Providing a clean, professional exclusion solution, our 21-gauge $\frac{1}{2}$ " expanded metal tight mesh also features a sturdy, laser cut, pre-drilled mounting frame and installs in minutes! Made in the USA and available in black powder coated galvanized steel in multiple sizes and packaging options.










EXCLUSION GUARDS

ROOF VENTGUARO™ // ROOF VENTGUARD PLUS™ // BOLT-ON EXCLUSION GUARDS™

SLIP-IN CHIMNEY GUARDS™ // UNIVERSAL VENTGUARD™ // DRYER VENTGUARD™







RVGTM30G **RVGTM16G**







RVG25

MADE IN ST. LOUIS, MISSOURI // USA

					1100	DE IN THE USA			
STAINLESS STEEL // ROOF VENTGUARD™									
			ITEM NUMBE	:R	-				
DIMENSIONS L × W × H [in]	MESH [in]	BULK Each	BOXED Single / 1	PROPAK SKU	PROPAK Quantity	BULK Retail Tag	BOXED Retail Tag	WEIGHT lbs / Each	
7 × 7 × 9	5/8	RVG7	RVG77	RVG77-3	3	N/A	N/A	1-1/2	
11 x 11 x 13	5/8	RVG11	RVG1111	RVG1111-3	3	N/A	N/A	2-1/2	
16 x 16 x 5	5/8	RVG16	RVG1616	RVG1616-6	6	N/A	N/A	3-1/2	
25 x 25 x 6	5/8	RVG25L	RVG2525L	RVG2525L-3	3	N/A	N/A	7	
25 x 25 x 12	5/8	RVG25	RVG2525	RVG2525-3	3	N/A	N/A	7-1/2	
30 × 30 × 12	5/8	RVG30	RVG3030	RVG3030-3	3	N/A	N/A	9	

FOR OVERALL DIMENSIONS, ADD 2-1/2" TO THE LENGTH AND WIDTH MEASUREMENTS TO INCLUDE FLANGE. ADDITIONAL FEATURES LISTED ON PAGE 10.



	GALVANIZED STEEL // ROOF VENTGUARD™								
				- ITEM NUMBE	ER ————		ITEM	NUMBER ———	•
	DIMENSIONS L × W × H [in]	MESH [in]	BULK Each	BOXED Single / 1	PROPAK SKU	PROPAK Quantity	BULK Retail Tag	BOXED Retail Tag	WEIGHT lbs / Each
	7 x 7 x 9	5/8	RVG7G	RVG77G	RVG77-3G	3	N/A	N/A	1-1/2
	11 × 11 × 13	5/8	RVG11G	RVG1111G	RVG1111-3G	3	N/A	N/A	2-1/2
NE	16 x 16 x 4-½	5/8	RVG16LG	RVG1616LG	RVG1616L-6G	6	N/A	N/A	2-1/2
	16 × 16 × 7	5/8	RVG16G	RVG1616G	RVG1616-6G	6	RVG16-GR	RVG1616-GR	3-1/2
	25 x 25 x 6	5/8	RVG25LG	RVG2525LG	RVG2525L-3G	3	N/A	N/A	7
	25 x 25 x 12	5/8	RVG25G	RVG2525G	RVG2525-3G	3	N/A	N/A	7-1/2
	30 × 30 × 12	5/8	RVG30G	RVG3030G	RVG3030-3G	3	N/A	N/A	9

FOR OVERALL DIMENSIONS, ADD 2-1/2" TO THE LENGTH AND WIDTH MEASUREMENTS TO INCLUDE FLANGE. ADDITIONAL FEATURES LISTED ON PAGE 10.



RVG7G



RVG11G




RVG16LG













8

RVG25G RVG30G

// TIGHT MESH DOOF VENTSHADDIN

	GALVANIZED STEEL // TIGHT MESH ROUF VENTGUARD'"								
				ITEM NUM	MBER	-			
	DIMENSIONS $L \times W \times H [in]$	MESH [in]	BULK Each	BOXED Single / 1	PROPAK SKU	PROPAK Quantity	BULK Retail Tag	BOXED Retail Tag	WEIGHT lbs / Each
NE	16 x 16 x 6-¾	1/4	RVGTM16G	RVGTM1616G	RVGTM1616G06	6	RVGTM16GR	RVGTM1616GR	3
NE	18 x 18 x 7	1/4	RVGTM18G	RVGTM1818G	RVGTM1818G06	6	RVGTM18GR	RVGTM1818GR	3-1/2
NE	30 x 30 x 10-½	1/4	RVGTM30G	RVGTM3030G	RVGTM3030G03	3	RVGTM30GR	RVGTM3030GR	9-1/2

FOR OVERALL DIMENSIONS, ADD 2-1/2" TO THE LENGTH AND WIDTH MEASUREMENTS TO INCLUDE FLANGE. ADDITIONAL FEATURES LISTED ON PAGE 10.








RVGTM16G

RVGTM18G

RVGTM30G







RVGTM18G



FEATURES

- > %" 18-Gauge Galvanized or Stainless Steel Expanded Mesh
- > Excludes Wildlife from Entering Homes Through Vents
- > Tapered, Stackable Design: RVG16, RVG16G, RVG16LG, RVG25, RVG25G, RVG25L, RVG25LG, RVG30, RVG30G
- > Available in Stainless Steel and Black Powder Coat Galvanized Steel
- > Durable Black Powder Coat Finish: Easily Painted to Match any **Exterior Color**
- > Provides a Clean, Professional Exclusion Solution
- > Limited Warranty: Lifetime Stainless, 7-Year Galvanized* // Made in the USA



FEATURES







1/4" TIGHT MESH

5/8" MESH







> ¼" 21-Gauge Galvanized Steel Expanded Tight Mesh

- > Heavy Duty Woven Mesh: Animals Can't Chew Through It
- > Excludes Wildlife, Stinkbugs, and Most Stinging Insects from **Entering Homes Through Vents**
- > Tapered, Stackable Design
- › Available in Black Powder Coat Galvanized Steel
- > Durable Black Powder Coat Finish: Easily Painted to Match any **Exterior Color**
- > Provides a Clean, Professional Exclusion Solution
- 7-Year Limited Warranty* // Made in the USA












ANIMAL EXCLUSION # Roof VentGuard Plus™





VGP01





UNIT	UNIT DIMENSIONS						
A [in]	B [in]	C [in]	D [in]	E [in]	F [in]		
22	16-1⁄4	4-1/2	14	2	3-1/2		

GALVANIZED STEEL

FEATURES

- > Protect Vents Against Wildlife, Heavy Snow Loads, Hail, Falling Debris, and Shovel Damage
- Heavy Duty Galvanized Steel Structure Design
- > Extreme Wildlife Protection // Ideal for all Roof Pitches
- Covers Existing Faded and Damaged Vents
- > Durable Black Powder Coat Finish: Easily Painted to Match any **Exterior Color**
- > Engineered to Resist Denting, Peeling, Fading, and Extreme Weather
- > Provides a Clean, Professional Exclusion Solution
- > Retains a Venting Area of 50 Sq. In.
- > 7-Year Limited Warranty*








AVAILABLE FINISHES:




ITEM NUMBER SKU	DIMENSIONS L × W × H [in]	CASE PACK <i>Quantity</i>	WEIGHT lbs / Each
VGP01	22 X 16-¼ X 4-½	1	7
VGP06	22 X 16-¼ X 4-½	6	7


ROOF VENTGUARD PLUS™ INSTALLATION



Place the VENTGUARD PLUS over the homes' existing roof vent and nail or screw down.



Use 2" screws or 2" roofing nails.



Seal all screw or nail heads with an outdoor sealant.

ANIMAL EXCLUSION // Bolt-On Exclusion Guards™







AVAILABLE FINISHES:



FEATURES

- Tamper-Proof, Bolt-On Design
- Available in Black Powder Coat Galvanized Steel (RC) and Stainless Steel (RS)
- > RC Units: Heavy Duty 18-Gauge Galvanized %" Mesh and 14-Gauge Galvanized Steel Base
- > RS Units: 100% 304 18-Gauge Stainless Steel %" Mesh and 14-Gauge Stainless Steel Base
- > Provides a Clean, Professional Exclusion Solution
- Limited Warranty: 7-Year Galvanized*, Lifetime Stainless // Made in the USA



ITEM NUMBER SKU	DIMENSIONS Fits Outside Tile [in]	CASE PACK Quantity	WEIGHT lbs / Each
RC99	7-½ x 7-½ to 9-½ x 9-½	1	5
RC913	7-½ x 11-½ to 9-½ x 13-½	1	5-1/2
RC1313	11-½ x 11-½ to 13-½ x 13-½	1	6-1/2
RS99	7-½ x 7-½ to 9-½ x 9-½	1	4-1/2
RS913	7-½ x 11-½ to 9-½ x 13-½	1	5
RS1313	11-½ x 11-½ to 13-½ x 13-½	1	6

RC · BLACK POWDER COAT GALVANIZED // RS · STAINLESS







AVAILABLE FINISHES:



FEATURES

- > No Tools Required: Slip-In Design
- > Ideal for Decorative Terra-Cotta Chimney Flue Tiles and Pots
- > Protects Against Common Wildlife Chimney Intruders
- › Available in Square and Round Designs
- › Heavy-Duty, 16-Gauge Galvanized Steel Mesh
- › Black Powder Coat Finish
- > Provides a Clean, Professional Exclusion Solution
- 7-Year Limited Warranty* // Made in the USA



ITEM NUMBER SKU	DIMENSIONS Fits Outside Tile [in]	CASE PACK Quantity	WEIGHT lbs / Each
2020	8 x 8 or 9 x 9	1	3
2025	8 x 12 or 9 x 13	1	3
2525	12 x 12 or 13 x 13	1	3-1/2
1010	10 Round	1	2-1/2
1212	12 Round	1	3
1414	14 Round	1	3-1/2

ANIMAL EXCLUSION / Universal VentGuard™



FEATURES



RVG-DVG

- > Easy to Install Over Most 3" or 4" Non Dryer Style Vents
- > 100% 304 Stainless Steel 5%" Mesh will not Rust or Corrode
- > Durable White Powder Coat Finish: Easily Painted to Match Exterior
- > Easy Keyhole On/Off Attachment for Regular Maintenance
- > Provides a Clean, Professional Exclusion Solution
- > Not Code Compliant for Use with Dryer Vents
- > 7-Year Limited Warranty* // Made in the USA



ITEM NUMBER SKU	DIMENSIONS L × W × H [in]	CASE PACK <i>Quantity</i>	WEIGHT lbs / Each
RVG-DVG	8-½ x 8-½ x 5	1	1
RVG-DVG-R	8-½ x 8-½ x 5	3	1
RVG-DVG-6	8-½ x 8-½ x 5	6	1
DVG	8-% x 8-% x 5	BULK	1

R • RETAIL LABEL

ANIMAL EXCLUSION // Code Compliant Dryer VentGuard™

PIONEERING EXCLUSION SOLUTIONS FOR OVER 75 YEARS

Protect homes against lint build-up, dryer fires, and wildlife entry!
Introducing HY-GUARD EXCLUSION®'s NEW Code Compliant Steel
and Plastic Dryer Exhaust VentGuards™!



RVG-DVG

AVAILABLE FINISHES:

View our complete Code Compliant Dryer VentGuard™ product line on pages 14-15!





NON CODE-COMPLIANT DRYER VENT



UNPROTECTED DRYER VENT



UNPROTECTED DRYER VENT

STEEL CODE COMPLIANT DRYER VENTGUARD™ // DEV-6S + DEV-8S

Our code compliant vertical bars provide an effective barrier against dryer vent intruders while maintaining the safety and efficiency of a homeowner's dryer. Easy to install and engineered with heavy gauge zinc and powder coated steel, our Code Compliant Steel Dryer Exhaust VentGuard™ is designed with a premium, easy-access front opening feature for simplified dryer vent cleaning. Our 8" model fits up to 6" vents; our 6" model fits up to 4" vents.



DEV-8S-W

FEATURES

- Code Compliant Steel Dryer Exhaust VentGuard™
- > Vertical Bars Protect Against: Lint Build-Up, Dryer Fires, Wildlife
- > Easy-Open Front for Dryer Vent Maintenance
- > 8" Model Fits Up to 6" Vents
- , 6" Model Fits Up to 4" Vents
- Easy Installation
- > Durable Zinc Primer and Powder Coat Finish
- > Provides a Clean, Professional Exclusion Solution
- Subject to Limited Distribution
- > 7-Year Limited Warranty*






AVAILABLE FINISHES:



DEV-8S-W

DEV-6S-W









	ITEM NUMBER SKU	DIMENSIONS L x W x H [in]	CASE PACK Quantity	WEIGHT <i>lbs / Each</i>
7	DEV-6S-W	7-¾ × 5 × 6-½	6	1-1/4
7	DEV-8S-W	9 x 5-¼ x 9	6	1-3/4

PLASTIC CODE COMPLIANT DRYER VENTGUARD™ // DEV-6P + DEV-8P

Looking for a cost effective, code compliant, dryer exhaust VentGuard™? Look no further! Our code compliant vertical bars provide an effective barrier against dryer vent intruders while maintaining the safety and efficiency of a homeowner's dryer. Our 8" easy-open model fits up to 6" vents; our 6" model fits up to 4" vents. Easy to install.









AVAILABLE FINISHES:



FEATURES

- → Plastic Code Compliant Dryer Exhaust VentGuard™
- > Vertical Bars Protect Against: Lint Build-Up, Dryer Fires, Wildlife Entry
- > 8" Easy-Open Model Fits Up to 6" Vents
- > 6" Model Fits Up to 4" Vents
- Easy Installation
- > Provides a Clean, Professional Exclusion Solution
- 1-Year Limited Warranty





ITEM NUMBER SKU	DIMENSIONS L × W × H [in]	CASE PACK Quantity	WEIGHT lbs / Each
DEV-6P-W	8 × 7-¾ × 7-¾	12	1/2
NEW DEV-6P-T	8 × 7-¾ × 7-¾	12	1/2
NEW DEV-6P-B	8 × 7-¾ × 7-¾	12	1/2
DEV-8P-W	10-½ x 8-¾ x 6-¾	6	1-1/4
NEW DEV-8P-T	10-½ x 8-¾ x 6-¾	6	1-1/4
NEW DEV-8P-B	10-½ × 8-¾ × 6-¾	6	1-1/4





DON'T JUST REMOVE. EXCLUDE.™

Industry proven wildlife exclusion products. Made in the USA since 1947.™

Draft King Company







COPPER

- > Removable Hood for Easy Chimney Cleaning
- > 24-Gauge 100% Copper Hood with Scalloped Corners and Roll-Formed Edges
- 18-Gauge ¾" Expanded 100% Copper Mesh
- > 16-Gauge Copper Plated Stainless Steel Base for Extra Strength
- Limited Lifetime Warranty // Made in the USA

STAINLESS STEEL

- > 100% 304 Stainless Steel
- > 24-Gauge Stainless Steel Hood with Scalloped Corners and Roll-Formed Edges
- > 18-Gauge ¾" Expanded Stainless Steel Mesh
- > 18-Gauge ⁵/₈" Expanded Stainless Steel Mesh // Use Only When Required by Local Codes
- > 16-Gauge Stainless Steel Base for Extra Strength
- Available in Natural Stainless or Black Powder Coat Finish
- > Limited Warranty: Lifetime Stainless, 7-Year Black* // Made in the USA

GALVANIZED STEEL

- > 24-Gauge Galvanized Steel Hood with Scalloped Corners and Roll-Formed Edges
- > 18-Gauge ¾" Expanded Galvanized Steel Mesh
- > 18-Gauge ⁵/₈" Expanded Galvanized Steel Mesh // Use Only When Required by Local Codes
- > 14-Gauge Galvanized Steel Base for Extra Strength
- > Attractive Black Powder Coat Finish
- > 7-Year Limited Warranty* // Made in the USA

AVAILABLE FINISHES:



DRAFT KING®
CHIMNEY COVERS

SINGLE FLUE // BIG TOP™ MULTI-FLUE // CUSTOM SERIES

UNIVERSAL™ SERIES // MULTI-PACKS // LINER CAPS // CUSTOM CHASE COVERS







DRAFT KING® CHIMNEY COVER FEATURES

- > Slotted Hex-Head Stainless Steel Mounting Bolts
- > Outside Mounting Provides Greater Free Air Space for Better Draft
- > Expanded Metal Mesh Turned Inward at Base Allows Cover to Rest Firmly on Tile, Closing Gaps
- > Optional Heavy-Duty Stainless Steel Leg Kit [for chimneys with tile extending less than 1" above crown]
- Arrests Sparks and Reduces Certain Downdrafts
- > Provides a Clean, Professional Exclusion Solution // Made in the USA











ANIMAL EXCLUSION / Single Flue Chimney Covers

DRAFT KING® // 3/4" MESH CHIMNEY COVERS

MADEINTHEUS	
ida	7
IGA IGA	4
*	l ôlo
VSD 200 MI 30VI	Z
ST 3HI NI 305	

				→ BLACK PO	WDER COAT —	-
OUTSIDE TILE SIZE	FITS OUTSIDE TILE DIMENSION	COPPER	STAINLESS STEEL	STAINLESS STEEL	GALV. STEEL	WEIGHT
$L \times W \times H$ [in]	[in]	Finish	Finish	Finish	Finish	lbs / Each
5 X 9	3-½ x 7-½ to 5-½ x 9-½		SS59U	SS59P	CB059	5 TO 7
9 X 9	7-½ x 7-½ to 9-½ x 9-½	CP99	SS99U	SS99P	CB099	6-½ TO 7
9 X 13	7-½ x 11-½ to 9-½ x 13-½	CP913	SS913U	SS913P	CB0913	8 TO 8-1/2
9 X 18	7-½ x 16-½ to 9-¼ x 18-¼	CP918	SS918U	SS918P	CB0918	9 TO 10
11 X 11	9-¾ x 9-¾ to 12 x 12		SS1111U	SS1111P	CB01111	9 TO 10
12 X 16	10 x 14 to 12-½ x 16-¼	CP1216	SS1216U	SS1216P	CB01216	10-½ TO 12
13 X 13	11-½ x 11-½ to 13-½ x 13-½	CP1313	SS1313U	SS1313P	CB01313	9-½ TO 10
13 X 18	11-½ x 16-½ to 13-¼ x 18-¼	CP1318	SS1318U	SS1318P	CB01318	11 TO 12
15 X 15	13-¾ x 13-¾ to 16 x 16		SS1515U	SS1515P	CB01515	11-½ TO 13-½
18 X 18	16-½ x 16-½ to 18 x 18	CP1818	SS1818U	SS1818P	CB01818	13 TO 14-½
20 X 20	18-½ x 18-½ to 20-¼ x 20-¼	•	SS2020U	SS2020P	CB02020	14 TO 15-½
10 ROUND SLIP-IN	9-½ to 10-½ round	•	SS811U	SS811P	CB0811	7-½ TO 8-½
12 ROUND SLIP-IN	11-½ to 12-½ round	•	SS813U	SS813P	CB0813	9-½ TO 11
14 ROUND SLIP-IN	13-½ to 14-½ round		SS815U	SS815P	CB0815	10 TO 11-½
16 ROUND SLIP-IN	15-½ to 16-½ round		SS816U	SS816P	CB0816	10-½ TO 12
18 ROUND SLIP-IN	17-½ to 18-½ round		SS818U	SS818P	CB0818	11 TO 12-½
8 ROUND BOLT-ON	7-½ to 8-½ round		SS8U	SS8P	CB08	5-½ TO 6
10 ROUND BOLT-ON	9-½ to 10-½ round		SS10U	SS10P	CB010	6 TO 6-½
12 ROUND BOLT-ON	11-½ to 12-½ round		SS12U	SS12P	CB012	8 TO 9-½
14 ROUND BOLT-ON	13-½ to 14-½ round		SS14U	SS14P	CB014	9 TO 10-½
16 ROUND BOLT-ON	15-½ to 16-½ round		SS16U	SS16P	CB016	12 TO 13-½
18 ROUND BOLT-ON	17-½ to 18-½ round		SS18U	SS18P	CB018	13 TO 14
8 X 20 OVAL	6-½ x 17 to 8-1/8 x 19		•	•	•	10 TO 10-½
8 X 17 OVAL	7-½ x 16-½ to 9-¼ x 18-¼		•	•	•	9 TO 10
9 X 21 OVAL	7-1/8 x 19-1/8 to 9-1/2 x 21-1/8		•	•	•	10-½ TO 11
10 X 17 OVAL	9-½ x 16-½ to 11 x 18-½		•	•	•	10-½ TO 11-½
13 X 17 OVAL/RECT	11-½ x 16-½ to 13-¼ x 18-½		•	•	•	11 TO 12
13 X 21 OVAL	12 x 20 to 13-½ x 22					13-½ TO 14
17 X 21 OVAL	16 x 20 to 17-½ x 22		•	•	•	15 TO 15-½
LEG KIT	USED TO CONVERT TO SLIP-IN		SSLK	SSLK	SSLK	1-1/2
LEG KIT (25 PACK)	USED TO CONVERT TO SLIP-IN	•	SSLK-M	SSLK-M	SSLK-M	38

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

DRAFT KING® // **CHIMNEY COVERS**









SSLK

LEG KIT

- **,** 100% 304 Stainless Steel
- Used to Convert Draft King Covers to Slip-In Models
- For Chimneys with Tile Extending Less than 1" Above Crown

FINISHES:

<u> </u>	BLACK POWDER COAT				
OUTSIDE TILE SIZE L x W x H [in]	FITS OUTSIDE TILE DIMENSION [in]	STAINLESS STEEL Finish	STAINLESS Finish	GALV. STEEL Finish	WEIGHT Ibs / Each
5 X 9	3-½ x 7-½ to 5-½ x 9-½		•		5 TO 7
9 X 9	7-½ x 7-½ to 9-½ x 9-½	SSC99U	SSC99P	CBC99	6-½ TO 7
9 X 13	7-½ x 11-½ to 9-½ x 13-½	SSC913U	SSC913P	CBC913	8 TO 8-1/2
9 X 18	7-½ x 16-½ to 9-¼ x 18-¼	SSC817U	SSC817P	CBC817	9 TO 10
11 X 11	9-¾ x 9-¾ to 12 x 12	SSC1111U	SSC1111P	CBC1111	9 TO 10
12 X 16	10 x 14 to 12-½ x 16-¼	SSC1216U	SSC1216P	CBC1216	10-½ TO 12
13 X 13	11-½ x 11-½ to 13-½ x 13-½	SSC1313U	SSC1313P	CBC1313	9-½ TO 10
13 X 18	11-½ x 16-½ to 13-¼ x 18-¼			•	11 TO 12
15 X 15	13-% x 13-% to 16 x 16	SSC1515U	SSC1515P	CBC1515	11-½ TO 13-½
18 X 18	16-½ x 16-½ to 18 x 18	SSC1818U	SSC1818P	CBC1818	13 TO 14-½
20 X 20	18-½ x 18-½ to 20-¼ x 20-¼	SSC2020U	SSC2020P	CBC2020	14 TO 15-½
10 ROUND SLIP-IN	9-½ to 10-½ round	SSC811U	SSC811P	CBC811	7-½ TO 8-½
12 ROUND SLIP-IN	11-½ to 12-½ round	SSC813U	SSC813P	CBC813	9-½ TO 11
14 ROUND SLIP-IN	13-½ to 14-½ round	SSC815U	SSC815P	CBC815	10 TO 11-½
16 ROUND SLIP-IN	15-½ to 16-½ round	SSC816U	SSC816P	CBC816	10-½ TO 12
18 ROUND SLIP-IN	17-½ to 18-½ round	SSC818U	SSC818P	CBC818	11 TO 12-½
8 ROUND BOLT-ON	7-½ to 8-½ round	SSC8U	SSC8P	CBC8	5-½ TO 6
10 ROUND BOLT-ON	9-½ to 10-½ round	SSC10U	SSC10P	CBC10	6 TO 6-½
12 ROUND BOLT-ON	11-½ to 12-½ round	SSC12U	SSC12P	CBC12	8 TO 9-½
14 ROUND BOLT-ON	13-½ to 14-½ round	SSC14U	SSC14P	CBC14	9 TO 10-½
16 ROUND BOLT-ON	15-½ to 16-½ round	SSC16U	SSC16P	CBC16	12 TO 13-½
18 ROUND BOLT-ON	17-½ to 18-½ round	SSC18U	SSC18P	CBC18	13 TO 14
8 X 20 OVAL	6-½ x 17 to 8-1/8 x 19	SSC820U	SSC820P	CBC820	10 TO 10-½
8 X 17 OVAL	7-½ x 16-½ to 9-¼ x 18-¼	SSC817U	SSC817P	CBC817	9 TO 10
9 X 21 OVAL	7-1/8 x 19-1/8 to 9-1/2 x 21-1/8	SSC921U	SSC921P	CBC921	10-½ TO 11
10 X 17 OVAL	9-½ x 16-½ to 11 x 18-½	SSC1017U	SSC1017P	CBC1017	10-½ TO 11-½
13 X 17 OVAL/RECT	11-½ x 16-½ to 13-1/4 x 18-½	SSC1317U	SSC1317P	CBC1317	11 TO 12
13 X 21 OVAL	12 x 20 to 13-½ x 22	SSC1321U	SSC1321P	CBC1321	13-½ TO 14
17 X 21 OVAL	16 x 20 to 17-½ x 22	SSC1721U	SSC1721P	CBC1721	15 TO 15-½
LEG KIT	USED TO CONVERT TO SLIP-IN	SSLK	SSLK	SSLK	1-1/2
LEG KIT (25 PACK)	USED TO CONVERT TO SLIP-IN	SSLK-M	SSLK-M	SSLK-M	38

U·STAINLESS // P·BLACK POWDER COAT STAINLESS

Draft King Big Top





FEATURES // COPPER BIG TOP™

- > 24-Gauge Removable 100% Copper Hood with Scalloped Corners and Roll-Formed Edges
- > 24-Gauge Copper-Plated Stainless Steel Base Flanges Designed for Secure Mounting
- > 18-Gauge ¾" 100% Copper Expanded Metal Mesh
- > Available in 9", 12", and 14" Heights
- › Optional Hinged Mounting Flanges (Special Order)
- › Available in Stock or Custom Sizes
- > Copper Covers Can be Used with Oil, Coal, or Wood/Pellet **Heating Appliances**
- > Limited Lifetime Warranty // Made in the USA





FEATURES // STAINLESS STEEL BIG TOP™

- > 24-Gauge Removable 100% 304 Stainless Steel Hood with Scalloped Corners and Roll-Formed Edges
- > 24-Gauge 100% 304 Stainless Steel Base Flanges Designed for Secure Mounting
- > 18-Gauge ¾" 100% 304 Stainless Steel Expanded Mesh
- > 18-Gauge 5/8" 100% 304 Stainless Steel Expanded Mesh // Use Only When Required by Local Codes
- > Available in 8", 10", and 14" Heights
- Optional Hinged Mounting Flanges (BTH)
- Available in Stock or Custom Sizes
- > Stainless Steel Covers Can be Used with Oil, Coal, or Wood/Pellet Heating Appliances
- Limited Lifetime Warranty // Made in the USA





FEATURES // GALVANIZED STEEL BIG TOP™

- > 24-Gauge Removable Galvanized Steel Hood with Scalloped Corners and Roll-Formed Edges
- > 24-Gauge Galvanized Steel Base Flanges Designed for Secure Mounting
- > 18-Gauge ¾" Galvanized Steel Expanded Mesh
- > 18-Gauge 5/8" Galvanized Steel Expanded Mesh // Use Only When Required by Local Codes
- > Available in 8", 10", and 14" Heights
- Available in Stock or Custom Sizes
- › Attractive Black Powder Coat Finish
- > 7-Year Limited Warranty* // Made in the USA

DRAFT KING[®] // BIG TOP™ CHIMNEY COVERS



SCREEN TO SCREEN	HOOD SIZE	COPPER	STAINLESS STEEL	STAINLESS STEEL HINGED	GALV. STEEL BLACK	WEIGHT
[in]	[in]	Finish	Finish	Finish	Finish	lbs / Each
10 x 10	16 x 16	CBT1010	BT1010	BTH1010	BBT1010	8-1/2
10 x 14	15-¼ × 19-¼	CBT1014	BT1014	BTH1014	BBT1014	9
13 x 19	20-1/4"x 25-1/4	CBT1319	BT1319	BTH1319	BBT1319	11-1/2
14 × 14	20-¼ x 20-¼	CBT1414	BT1414	BTH1414	BBT1414	10
17 x 17	25-¼ x 25-¼	CBT1717	BT1717	BTH1717	BBT1717	13
14 x 21	22-1/4 x 34-1/2	CBT1421K	BT1421K	BTH1421K	BBT1421K	15-½
14 × 26	22-1/4 x 34-1/2	CBT1426K	BT1426K	BTH1426K	BBT1426K	16
14 × 30	22-1/4 x 34-1/2	CBT1430K	BT1430K	BTH1430K	BBT1430K	16-½
14 × 34	22-1/4 x 46-1/2	CBT1434K	BT1434K	BTH1434K	BBT1434K	19-½
15 × 37	22-1/4 x 46-1/2	CBT1537K	BT1537K	BTH1537K	ВВТ1537К	20
17 × 29	22-1/4 x 34-1/2	CBT1729K	BT1729K	BTH1729K	ВВТ1729К	16-½
17 × 35	22-1/4 x 46-1/2	CBT1735K	BT1735K	BTH1735K	BBT1735K	19
17 × 41	22-¼ x 46-½	CBT1741K	BT1741K	BTH1741K	BBT1741K	21
17 x 49	22-¼ x 58-¼	CBT1749K	BT1749K	ВТН1749К	BBT1749K	22
17 × 53	22-¼ x 58-¼	CBT1753K	BT1753K	BTH1753K	BBT1753K	23
17 × 58	22-¼ x 69-¼	CBT1758K	BT1758K	BTH1758K	BBT1758K	27
17 × 64	22-¼ x 69-¼	CBT1764K	BT1764K	BTH1764K	BBT1764K	29

SHIPPED ASSEMBLED SHIPPED KNOCKED-DOWN (K)


FOR OVERALL DIMENSIONS, ADD 2-1/2" TO LENGTH AND WIDTH MEASUREMENTS.

KNOCKED-DOWN (K) units are pre-assembled to assure proper fit and ship knocked-down to reduce freight costs and risk of damage.

8"/9" HEIGHT TOOL-FREE CORNER DESIGN








- > Hood Attaches to Base with Weld Bolts and Nuts: No Chance of Stripping-Out Threaded Holes
- > Hinged Mounting Flanges Available on Stainless Steel (BTH) and Copper (Special Order)
- > Provides a Clean, Professional Exclusion Solution

COPPER + STAINLESS AVAILABLE HEIGHTS



IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT. DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

ANIMAL EXCLUSION // Multi-Flue Chimney Covers

DRAFT KING[®] // BIG TOP™ CHIMNEY COVERS

SCREEN TO SCREEN [in]	HOOD SIZE	COPPER Finish	STAINLESS STEEL Finish	STAINLESS STEEL HINGED Finish	GALV. STEEL BLACK Finish	WEIGHT <i>lbs / Each</i>
[111]	[111]	FIIIISII		FILIISII	rii iisi i	IDS / Eacii
10 × 10	16 x 16	CBT1010K-12W	BT1010K-10W	BTH1010K-10W	BBT1010K-10W	8-1/2
10 × 14	15-¼ × 19-¼	CBT1014K-12W	BT1014K-10W	BTH1014K-10W	BBT1014K-10W	9
13 x 19	20-1/4"× 25-1/4	CBT1319K-12W	BT1319K-10W	BTH1319K-10W	BBT1319K-10W	11-1⁄2
14 x 14	20-¼ × 20-¼	CBT1414K-12W	BT1414K-10W	BTH1414K-10W	BBT1414K-10W	10
17 x 17	25-1/4 × 25-1/4	CBT1717K-12W	BT1717K-10W	BTH1717K-10W	BBT1717K-10W	13
14 x 21	22-1/4 × 34-1/2	CBT1421K-12W	BT1421K-10W	BTH1421K-10W	BBT1421K-10W	15-½
14 x 26	22-1/4 × 34-1/2	CBT1426K-12W	BT1426K-10W	BTH1426K-10W	BBT1426K-10W	16
14 x 30	22-1/4 x 34-1/2	CBT1430K-12W	BT1430K-10W	BTH1430K-10W	BBT1430K-10W	16-1/2
14 x 34	22-1/4 × 46-1/2	CBT1434K-12W	BT1434K-10W	BTH1434K-10W	BBT1434K-10W	19-½
15 x 37	22-¼ x 46-½	CBT1537K-12W	BT1537K-10W	BTH1537K-10W	BBT1537K-10W	20
17 x 29	22-¼ x 34-½	CBT1729K-12W	BT1729K-10W	BTH1729K-10W	BBT1729K-10W	16-1/2
17 x 35	22-¼ x 46-½	CBT1735K-12W	BT1735K-10W	BTH1735K-10W	BBT1735K-10W	19
17 × 41	22-¼ x 46-½	CBT1741K-12W	BT1741K-10W	BTH1741K-10W	BBT1741K-10W	21
17 x 49	22-¼ x 58-¼	CBT1749K-12W	BT1749K-10W	BTH1749K-10W	BBT1749K-10W	22
17 x 53	22-1/4 x 58-1/4	CBT1753K-12W	BT1753K-10W	BTH1753K-10W	BBT1753K-10W	23
17 x 58	22-1/4 × 69-1/4	CBT1758K-12W	BT1758K-10W	BTH1758K-10W	BBT1758K-10W	27
17 x 64	22-¼ x 69-¼	CBT1764K-12W	BT1764K-10W	BTH1764K-10W	BBT1764K-10W	29

SHIPPED ASSEMBLED SHIPPED KNOCKED-DOWN (K)

FOR OVERALL DIMENSIONS, ADD 2-1/2" TO LENGTH AND WIDTH MEASUREMENTS.

KNOCKED-DOWN (K) units are pre-assembled to assure proper fit and ship knocked-down to reduce freight costs and risk of damage.


10"/12" HEIGHT TOOL-FREE CORNER DESIGN






- > Easy to Assemble Tab-and-Slot Corner Design
- > Hood Attaches to Base with Weld Bolts and Nuts: No Chance of Stripping-Out Threaded Holes
- > Hinged Mounting Flanges Available on Stainless Steel (BTH) and Copper (Special Order)
- > Provides a Clean, Professional Exclusion Solution

BLACK GALVANIZED STEEL HEIGHTS

















14" Height Black Galv. Steel

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

DRAFT KING[®] // BIG TOP™ CHIMNEY COVERS

SCREEN TO SCREEN	HOOD SIZE	COPPER	STAINLESS STEEL	STAINLESS STEEL HINGED	GALV. STEEL BLACK	WEIGHT
[in]	[in]	Finish	Finish	Finish	Finish	lbs / Each
10 x 10	16 x 16	CBT1010K-14W	BT1010K-14W	BTH1010K-14W	BBT1010K-14W	8-1/2
10 × 14	15-¼ × 19-¼	CBT1014K-14W	BT1014K-14W	BTH1014K-14W	BBT1014K-14W	9
13 x 19	20-¼"x 25-¼	CBT1319K-14W	BT1319K-14W	BTH1319K-14W	BBT1319K-14W	11-½
14 x 14	20-¼ × 20-¼	CBT1414K-14W	BT1414K-14W	BTH1414K-14W	BBT1414K-14W	10
17 x 17	25-¼ × 25-¼	CBT1717K-14W	BT1717K-14W	BTH1717K-14W	BBT1717K-14W	13
14 x 21	22-¼ x 34-½	CBT1421K-14W	BT1421K-14W	BTH1421K-14W	BBT1421K-14W	15-1/2
14 x 26	22-¼ x 34-½	CBT1426K-14W	BT1426K-14W	BTH1426K-14W	BBT1426K-14W	16
14 × 30	22-1/4 × 34-1/2	CBT1430K-14W	BT1430K-14W	BTH1430K-14W	BBT1430K-14W	16-1/2
14 × 34	22-¼ × 46-½	CBT1434K-14W	BT1434K-14W	BTH1434K-14W	BBT1434K-14W	19-1/2
15 × 37	22-¼ × 46-½	CBT1537K-14W	BT1537K-14W	BTH1537K-14W	BBT1537K-14W	20
17 x 29	22-¼ x 34-½	CBT1729K-14W	BT1729K-14W	BTH1729K-14W	BBT1729K-14W	16-1/2
17 × 35	22-¼ × 46-½	CBT1735K-14W	BT1735K-14W	BTH1735K-14W	BBT1735K-14W	19
17 × 41	22-1/4 × 46-1/2	CBT1741K-14W	BT1741K-14W	BTH1741K-14W	BBT1741K-14W	21
17 x 49	22-¼ × 58-¼	CBT1749K-14W	BT1749K-14W	BTH1749K-14W	BBT1749K-14W	22
17 x 53	22-¼ x 58-¼	CBT1753K-14W	BT1753K-14W	BTH1753K-14W	BBT1753K-14W	23
17 × 58	22-1/4 × 69-1/4	CBT1758K-14W	BT1758K-14W	BTH1758K-14W	BBT1758K-14W	27
17 × 64	22-1/4 × 69-1/4	CBT1764K-14W	BT1764K-14W	BTH1764K-14W	BBT1764K-14W	29

SHIPPED ASSEMBLED SHIPPED KNOCKED-DOWN (K)

FOR OVERALL DIMENSIONS, ADD 2-1/2" TO LENGTH AND WIDTH MEASUREMENTS.

KNOCKED-DOWN (K) units are pre-assembled to assure proper fit and ship knocked-down to reduce freight costs and risk of damage.

14" HEIGHT TOOL-FREE CORNER DESIGN





- › Easy to Assemble Tab-and-Slot Corner Design
- > Hood Attaches to Base with Weld Bolts and Nuts: No Chance of Stripping-Out Threaded Holes
- Hinged Mounting Flanges Available on Stainless Steel (BTH) and Copper (Special Order)
- > Provides a Clean, Professional Exclusion Solution

CUSTOM BIG TOP™ CHIMNEY COVERS

COVER TYPE Finish	MAX WIDTH [in]	MAX LENGTH [in]
Copper	40	88
Stainless	40	88
Black	40	96

> All Units ≥ 32" Width Ship with a MINIMUM of 10" Mesh

AVAILABLE FINISHES:







IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

Dialit Island & ANC COMPANY COMPANY

CUSTOM SKIRT TYPE // STAINLESS STEEL

100% 304 Stainless Steel: Durable and Dependable

- > Stainless Steel Maximum Base Size: 48" W x 96" L
- Chimney Cover Hood Overhangs Masonry Approx. 1" on Both Sides and Ends
- > 4-¾" Skirt Protects Cement Crown from Deterioration Due to Weather
- Limited Lifetime Warranty // Made in the USA





CUSTOM BAND AROUND // STAINLESS STEEL

100% 304 Stainless Steel: Durable and Dependable

- > Stainless Steel Maximum Base Size: 48" W x 96" L
- Chimney Cover Hood Overhangs Masonry Approx. 3" on Both Sides and Ends
- > Chimney Cover Attaches Securely with a 2-1/4" Draw Band
- Four Adjustable Corner Clamps Provide Flexibility for Proper Fit
- > Limited Lifetime Warranty // Made in the USA

CUSTOM SKIRT TYPE // COPPER

18-Gauge 100% Copper: Solid Elegance

- > Copper Maximum Base Size: 38" W x 88" L
- Chimney Cover Hood Overhangs Masonry Approx. 1" on Both Sides and Ends
- 4-¾" Skirt Protects Cement Crown from Deterioration Due to Weather
- Limited Lifetime Warranty // Made in the USA



AVAILABLE FINISHES:






CALL 1-800-325-7076 FOR ORDERING ASSISTANCE

ANIMAL EXCLUSION // Custom Chimney Covers

DRAFT KING® CUSTOM CHIMNEY COVER FEATURES

- > Enhance the Beauty of Your Home with Solid Copper: Match Copper Trim, Gutters, and Awnings
- > All Custom Chimney Covers are Shipped Knocked Down
- > All Units >32" Width will be Shipped with a Minimum of 12" Mesh
- > Arrests Sparks and Reduces Certain Downdrafts
- > Provides a Clean, Professional Exclusion Solution
- > Limited Lifetime Warranty: Stainless + Copper // Made in the USA

HOW TO MEASURE // STAINLESS STEEL SKIRT TYPE




- Measure the outside dimension of all four sides of the top row of brick.
- **2** Measure the tile height from the top of the first row of brick, to the top of the tallest tile.

For Stainless Steel Skirt Type

Standard 8" braces and expanded metal mesh are used when flue tile height is 6-1/2" or less. If tile height is greater, refer to the adjacent flue tile diagram.

HOW TO MEASURE // STAINLESS STEEL BAND-AROUND




- **1** Measure the outside dimension of all four sides of the top row of brick.
- **2** Measure the tile height from the top of the first row of brick, to the top of the tallest tile.

For Stainless Steel Band-Around

Standard 9" braces and expanded metal mesh are used when flue tile height is 3-½" or less. If tile height is greater, refer to the adjacent flue tile diagram.

HOW TO MEASURE // COPPER SKIRT TYPE



- Measure the outside dimension of all four sides of the top row of brick.
- 2 Measure the tile height from the top of the first row of brick, to the top of the tallest tile.

For Copper Skirt Type

Standard 9" expanded metal mesh is used when flue tile height is 5" or less. If tile height is greater, refer to the adjacent flue tile diagram.

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL

Draft King®

U1320B34

ANIMAL EXCLUSION // Universal™ Chimney Covers



U1320B34

UNIVERSAL™ DAMPER KIT FEATURES

- , Compatible with 13" x 13" and 13" x 20-½" Galvanized and









MESH



DAMPER CLOSED

SCREEN TO SCREEN

 $L \times W$ [in]

13 x 13

13 x 13

13 x 13

 13×13

13 x 20-1/2

 $13 \times 20 - \frac{1}{2}$

13 x 20-1/2

13 x 20-1/2

13 x 13 Damper Kit

13 x 20-1/2 Damper Kit







DAMPER MECHANICS

1 // 4



8-1/2 // 34



FINISH

Stainless Steel

Stainless Steel

Stainless Steel

Stainless Steel

Stainless Steel

Stainless Steel

Black Galvanized Steel

Black Galvanized Steel

Black Galvanized Steel

Black Galvanized Steel

AVAILABLE FINISHES:



UD1313

UD1320

DAMPER OPEN

ITEM NUMBER

SKU: Single // Multi

U1313B34 // U1313B34-5

U1313S34 // U1313S34-5

U1313B58 // U1313B58-5

U1313S58 // U1313S58-5

U1320B34 // U1320B34-4

U1320S34 // U1320S34-4

U1320B58 // U1320B58-4

U1320S58 // U1320S58-4

- > 100% 304 Stainless Steel
- › Kit Includes: High-Temperature Fiberglass Gasket, Damper Plate, Spring Assembly, and Steel Cable and Ball Chain with Weighted Handle for Easy Opening and Closing
- Stainless Universal Chimney Covers
- > Ships Knocked-Down // Assembly Required
- > Made in the USA // Limited Lifetime Warranty









U1320S34

STAINLESS STEEL | 5/8 MESH

> 100% 304 Stainless Steel

STAINLESS STEEL | 3/4 MESH

> 18-Gauge ¾" Expanded Stainless Steel Mesh

Limited Lifetime Warranty* // Made in the USA

> 100% 304 Stainless Steel

- > 18-Gauge ⁵/₈" Expanded Stainless Steel Mesh // Use Only When Required by Local Codes
- Limited Lifetime Warranty* // Made in the USA

GALVANIZED STEEL | 5/8 MESH

GALVANIZED STEEL | 3/4 MESH

Galvanized Steel with Black Powder Coat Finish

Galvanized Steel with Black Powder Coat Finish

> 18-Gauge ¾" Expanded Galvanized Steel Mesh

7-Year Limited Warranty* // Made in the USA

- > 18-Gauge %" Expanded Galvanized Steel Mesh // Use Only When Required by Local Codes
- 7-Year Limited Warranty* // Made in the USA

UNIVERSAL™ CHIMNEY COVER FEATURES

- > Available Sizes: 13" x 13" and 13" x 20-½" // Available Multi-Packs of 5: (13" x 13") and 4 (13" x 20-½")
- > Expanded Metal Mesh Turned Inward at Base Allows Cover to Rest Firmly on Flue Tile, Closing Gaps
- > Secure Internal Anchoring System is Ideal for Windy Conditions
- > Can be Installed on Chimneys With and Without an Exposed Flue Tile
- > Removable Hood for Easy Cleaning
- Commonly Used in California
- Stainless Steel Damper Kits also Available (UD1313, UD1320)
- > Galvanized 7-Year Limited Warranty*, Stainless Limited Lifetime Warranty
- > Ships Knocked-Down // Assembly Required // Made in the USA

INTERNAL ANCHORING SYSTEM

ANIMAL EXCLUSION / Multi-Pack Chimney Covers







AVAILABLE FINISHES:



FEATURES

- > 18-Gauge 100% 304 Stainless Steel Base // ¾" Stainless Steel Mesh
- > Removable 24-Gauge Stainless Steel Hood with Roll-Formed Edges
- > Easy Assembly! Lids Attach in Seconds with Wing Nuts and Weld Bolts to Prevent Stripping
- > Side Bolt-on Mounting with Pointed Stainless Steel Slotted Hex-Head Bolts and Weld Nuts
- > Space Saving Design and Packaging // Ships Nested in a 4-Pack Carton
- > Special Order 18-Gauge %" 100% 304 Stainless Steel Expanded Metal Mesh When Required by Local Codes
- > Provides a Clean, Professional Exclusion Solution
- > Limited Lifetime Warranty // Made in the USA

ITEM NUMBER SKU	DIMENSIONS Fits Outside Tile [in]	CASE PACK Quantity	WEIGHT lbs / Each
MPSS99	7-½ x 7-½ to 9-½ x 9-½	4	22
MPSS913	7-½ x 11-½ to 9-½ x 13-½	4	28
MPSS918	7-½ x 16-½ to 9-¼ x 18-¼	4	34
MPSS1212	10-½ x 10-½ to 12-½ x 12-½	4	31
MPSS1313	10-½ x 11-½ to 13-½ x 13-½	4	34
MPSS1318	11-½ x 16-½ to 13-¼ x 18-¼	4	45

ANIMAL EXCLUSION / **Liner Cap Chimney Covers**



FEATURES

- > 24-Gauge 100% 304 Stainless Steel Hood and Base
- > 18-Gauge 100% 304 Stainless Steel Braces
- > 100% 304 Stainless Steel Gear-Drawn Clamp Band
- > Easily Mounted With 1-1/2" Draw Band
- > Designed to Fit Both Rigid and Flexible Stainless Steel Liners, Clay Flue Liners, and Other Round Applications
- > Removable 18-Gauge ¾" Expanded Stainless Steel Mesh
- > Removable 18-Gauge 5/8" Expanded Stainless Steel Mesh When Required by Local Codes
- > Welded Construction Ships Completely Assembled
- Limited Lifetime Warranty
- > Made in the USA

AVAILABLE FINISHES:




ITEM NUMBER SKU	DIMENSIONS Fits Outside Tile [in]	CASE PACK Quantity	WEIGHT lbs / Each
LC4	3-½" to 4-½"	1	4
LC5	4-½" to 5-½"	1	4
LC6	5-½" to 6-½"	1	4
LC7	6-½" to 7-½"	1	4-1/4
LC8	7-½" to 8-½"	1	5
LC9	8-1/2" to 9-1/2"	1	5
LC10	9-½" to 10-½"	1	6-1/4
LC11	10-½" to 11-½"	1	6-1/2
LC12	11-½" to 12-½"	1	6-1/2
LC13	12-½" to 13-½"	1	6-1/2
LC14	13-½" to 14-½"	1	6-1/2


ANIMAL EXCLUSION // Custom Chase Covers



FEATURES

- › Available in 22-Gauge 304 Stainless Steel or 22-Gauge Galv. Steel
- > Stainless Steel, Black or White Powder Coat Finish
- > Custom Built to Ensure Proper Fit
- > Cross Break to Shed Water and Provide Stability
- > Drip Edge on All Sides
- > Corners are Welded for Superior Strength
- > Protects Home from Animal Intrusion and Water Damage
- > Helps Maintain Safe Operation of Fireplace
- > Provides a Clean, Professional Exclusion Solution
- > Limited Lifetime Warranty, Stainless // 7-Year Limited Warranty*, Galvanized // Made in the USA







HOW TO MEASURE

Custom Chase Covers: Protecting Homes for Decades!

- Measure to the nearest 1/8".
- > Measure the perimeter of the chimney, beginning with the longest side and going clockwise [A+B+C+D].
- > Measure the desired height of the skirt [3" is standard].
- > Measure the diameter of the hole, or each hole if there are more
- > Measure the distance from the edge of each hole to each of the four sides. [E1, E2, E3, E4, F1, F2]
- > If a storm collar is needed, measure the outside diameter of each pipe [2" is standard].

IN SITUATIONS WHERE OIL OR COAL IS BURNED, OR WHEN WOOD OR PELLETS ARE USED AS THE PRIMARY SOURCE OF HEAT, DO NOT USE **ALUMINUM OR BLACK POWDER COAT GALVANIZED STEEL**





Double Flue

AVAILABLE FINISHES:





MADE IN ST. LOUIS, MISSOURI // USA

CALL 1-800-325-7076 FOR ORDERING ASSISTANCE

























LOG RACK FEATURES

Shelter Shelter

- > Stores Firewood Neatly and Safely Above the Ground
- > Helps Protect Firewood from Rot, Rodents, Snakes, Termites, and Nesting Wildlife
- > Open-Air Design Provides Ventilation for Seasoning Firewood for Cleaner, Safer Burning
- > Heavy Duty, 1-1/4" Tubular Steel Construction
- > Weatherproof Black Powder Coat Finish Resists Chipping and
- > Deluxe Covers Available! Protects Firewood from Rain, Snow, and Moisture for Optimal Burning
- Satisfaction Guaranteed! 1-Year Limited Warranty*
- > Easy to Assemble // Made in the USA

DELUXE LOG RACK COVER FEATURES

- > Weather Resistant Covers Keep Firewood Dry for Optimal
- > Durable Woven Polyester Fabric Resists Fading and Cracking
- > Two Rust-Resistant Side Zippers Allow Easy-Access to Firewood
- > Heavy-Duty Reinforced Metal Grommets Safely Secure Cover when Protecting Fuel Against High Winds
- Satisfaction Guaranteed! 1-Year Limited Warranty*






AVAILABLE FINISHES:

ITEM NUMBER SKU	DESCRIPTION	DIMENSIONS L × W × H [in]	CASE PACK <i>Quantity</i>	WEIGHT lbs / Each
SLRS	Shelter Small Log Rack / Holds 1,000 Lbs.	28 x 12 x 33	1	12
SLRM	Shelter Medium Log Rack / Holds 3,000 Lbs.	45 x 13 x 45	1	17
SLRXL	Shelter Extra Large Log Rack / Holds 4,000 Lbs.	96 x 13 x 45	1	25
SLRXLT	Shelter Extra Large Tall Log Rack / Holds 4,000 Lbs.	96 x 13 x 60	1	31
SLRP	Shelter Patio Log Rack / Holds 1,000 Lbs.	45 x 13 x 33	1	17
SLRP-C	Shelter Patio Log Rack with Deluxe Cover	45 x 13 x 33	1	17
SLRCD-S	Shelter DELUXE Log Rack Cover, Small	31 x 21 x 26	1	2
SLRCD-M	Shelter DELUXE Log Rack Cover, Medium	48 x 21 x 38	1	4-1/2
SLRCD-XL	Shelter DELUXE Log Rack Cover, Extra Large	100 x 21 x 38	1	7
SLRCD-P	Shelter DELUXE Patio Log Rack Cover	45 x 13 x 33	1	3





Black Powder Coat Square-Tube Steel

ITEM NUMBER SKU	DIMENSIONS L x W x H [in]	CASE PACK Quantity	WEIGHT lbs / Each
SERM	48 x 13 x 45	1	28-1/2
SERM-EXT	48 x 13 x 45	1	19





SERM

FEATURES

- Heavy-Duty, 1-¼" Square-Tube Steel Construction Protects, Ventilates for Seasoned Drying, and Neatly Stores Your Firewood Above the Ground
- > Add SERM-EXT Extender Kit to SERM Base Unit to Extend Log Rack to 8', 12' or 16' Lengths
- > 16-Gauge Steel with Black Powder Coat Finish
- > Protects Firewood from Rot, Termites and Nesting Wildlife
- > Easily Assembles and Disassembles
- > Satisfaction Guaranteed! 1-Year Limited Warranty // Made in the USA



A HY-C COMPANY™ WARRANTY

Our HY-GUARD EXCLUSION® brand provides safe, secure, and durable products to Improve Your Life and the Life of Your Home. Designed and manufactured as long-lasting Home Solutions Built Better, our warranty applies to products installed properly and used in accordance with the intended use. We reserve the right to refuse warranty coverage based upon field modifications, improper installation, and/or improper use. Our warranty applies to the original purchaser of product and is non-transferable. All warranty claims must include a copy of the original invoice showing the date purchased, seller name, and model number. Warranty coverage commences on the date of purchase. Our liability under this warranty is limited to the replacement cost of the product purchased and does not cover any costs of shipping, labor, or consequential damages of any kind.

REGISTER WARRANTY ONLINE AT WWW.HY-C.COM

MATERIAL	FINISH	WARRANTY
COPPER	N/A	LIMITED LIFETIME
STAINLESS STEEL	N/A	LIMITED LIFETIME (EXCLUDES ALL PAINTED FINISHES)
STAINLESS STEEL // PAINTED	N/A	7-YEAR LIMITED*
GALVANIZED STEEL	ALL	7-YEAR LIMITED* (EXCLUDES ALL SHELTER® LOG RACKS)
ALUMINUM	ALL	1-YEAR LIMITED*

*EXCLUDES INSTALLATIONS WITHIN 25 MILES OF A SALTWATER COAST

